## Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

- 1-5. (Canceled)
- 6. (Currently amended) A synergistically effective active compound combination, comprising:
- (1) a compound of formula (I)

## (trifloxystrobin)

(2) a compound of formula (II)

(prothioconazole)

and

(3) a compound of formula (III)

(tebuconazole),

wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.1 to 1:10 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.1 to 1:10.

- 7. (Previously presented) The active compound combination of Claim 6 in which the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.2 to 1:5 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.2 to 1:5.
- 8. (Previously presented) A method for controlling fungi comprising allowing an effective amount of an active compound combination according to Claim 6 to act on the fungi and/or their habitat.
- 9. (Previously presented) A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim 6 with one or more extenders, surfactants or a combination of one or more extenders and surfactants.
- 10. (Previously presented) The active compound combination of Claim 6, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is 1:0.85 and the weight ratio of the compound of formula (I) to the compound of formula (III) is 1:1.
- 11. (Previously presented) The method of claim 8, wherein said fungi are Pyrenophora or Fusarium.
- 12. (New) A synergistically effective composition consisting essentially of a compound of formula (I)

$$CH_3$$
 (I)

 $CF_3$   $CF_3$   $CH_3$   $CH$ 

a compound of formula (II)

- 4 -

(prothioconazole)

and a compound of formula (III)

and optionally one or more extenders, surfactants or a combination thereof, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.1 to 1:10 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.1 to 1:10.

- (New) The composition according to Claim 12, wherein the weight ratio of the 13. compound of formula (I) to the compound of formula (II) is from 1:0.2 to 1:5 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.2 to 1:5.
- (New) The composition according to Claim 12, wherein the weight ratio of the 14. compound of formula (I) to the compound of formula (II) is 1:0.85 and the weight ratio of the compound of formula (I) to the compound of formula (III) is 1:1.
- 15. (New) A method for controlling fungi comprising contacting the fungi and/or their habitat with the composition according to Claim 12.
- 16. (New) A method for controlling fungi comprising contacting the fungi and/or their habitat with the composition according to Claim 13.

(New) A method for controlling fungi comprising contacting the fungi and/or 17. their habitat with the composition according to Claim 14.

- 5 -

- (New) The method according to claim 15, wherein said fungi are Pyrenophora or 18. Fusarium.
- (New) The method according to claim 16, wherein said fungi are Pyrenophora or 19. Fusarium.
- (New) The method according to claim 17, wherein said fungi are Pyrenophora or 20. Fusarium.